Kidney stones

Kidney stones (also called renal stones or urinary stones) are small, hard deposits that form in one or both kidneys; the stones are made up of minerals or other compounds found in urine. Kidney stones vary in size, shape, and color. To be cleared from the body (or "passed"), the stones need to travel through ducts that carry urine from the kidneys to the bladder (ureters) and be excreted. Depending on their size, kidney stones generally take days to weeks to pass out of the body.

Kidney stones can cause abdominal or back pain (known as renal colic). Renal colic usually begins sporadically but then becomes constant and can lead to nausea and vomiting. The site of pain can change as the stone moves through the urinary tract. Some small stones pass through the kidney and urinary tract with little discomfort, while larger ones can block the flow of urine and impair kidney function. Kidney stones can also result in blood in the urine (hematuria) or kidney or urinary tract infections. Unusually large stones or stones that are difficult to pass can be medically removed.

Although there are many types of kidney stones, four main types are classified by the material they are made of. Up to 75 percent of all kidney stones are composed primarily of calcium. Stones can also be made up of uric acid (a normal waste product), cystine (a protein building block), or struvite (a phosphate mineral). Stones form when there is more of the compound in the urine than can be dissolved. This imbalance can occur when there is an increased amount of the material in the urine, a reduced amount of liquid urine, or a combination of both.

People are most likely to develop kidney stones between ages 40 and 60, though the stones can appear at any age. Research shows that 35 to 50 percent of people who have one kidney stone will develop additional stones, usually within 10 years of the first stone.

Frequency

In the United States, 9 percent of women and 19 percent of men develop kidney stones in their lifetime. Caucasians are more likely to develop kidney stones than African Americans.

Causes

Genetic changes can increase the risk of developing kidney stones, often acting in combination with a variety of environmental and lifestyle factors. Most genes involved in the condition are important for transmitting chemical signals from outside cells to inside cells or transporting materials in and out of cells. These processes help regulate the levels of various materials within cells, including the minerals and compounds that make up kidney stones. Changes in these genes can alter the levels of these materials

in cells, leading to an imbalance of minerals and compounds in urine. As a result, the likelihood of stone formation increases.

A key factor that contributes to the development of kidney stones is too little water in the body (dehydration). When a person is dehydrated, they excrete less water in their urine, so the urine becomes concentrated with minerals and compounds that can cluster to form stones. Eating certain foods, such as animal proteins or foods high in sodium, can increase the likelihood of developing stones. A diet deficient in calcium can increase levels of other substances that cause stone development in individuals who have a history of kidney stones. Additionally, people who take certain medications, such as diuretics, which help remove water and salt from the body through urine, or calcium antacids, which treat indigestion by neutralizing stomach acids, are more likely to develop kidney stones.

In most cases, kidney stones occur without any other health issues. However, some people develop kidney stones as part of another condition. About half of people who develop calcium stones have high levels of calcium in the urine (hypercalciuria). Hypercalciuria often runs in families. Some other health conditions that increase the risk of kidney stones include obesity, type 2 diabetes, inflammatory bowel disease (abnormal inflammation of the intestinal walls), gout (abnormal inflammation in the joints caused by high levels of uric acid in the blood), hyperparathyroidism (overactivity of the parathyroid glands), renal tubular acidosis (kidney dysfunction that leads to too much acid in the blood), and recurrent urinary tract infections.

Inheritance Pattern

The inheritance pattern of kidney stones is unclear. Overall, the risk of developing this condition is greater for individuals who have a close relative (such as a parent or sibling) with the condition as compared to the general public.

Other Names for This Condition

- calculus of kidney
- calculus, kidney
- calculus, renal
- kidney calculi
- kidney stone
- nephrolith
- nephrolithiasis
- renal calculi
- renal calculus
- renal lithiasis
- renal stones

- urinary stones
- urolithiasis

Diagnosis & Management

Formal Treatment/Management Guidelines

- Assimos D, Krambeck A, Miller NL, Monga M, Murad MH, Nelson CP, Pace KT, Pais VM Jr, Pearle MS, Preminger GM, Razvi H, Shah O, Matlaga BR. Surgical Management of Stones: American Urological Association/Endourological Society Guideline, PART I. J Urol. 2016 Oct;196(4):1153-60. doi: 10.1016/j.juro.2016.05.090. Epub 2016 May 27.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/27238616
- Assimos D, Krambeck A, Miller NL, Monga M, Murad MH, Nelson CP, Pace KT, Pais VM Jr, Pearle MS, Preminger GM, Razvi H, Shah O, Matlaga BR. Surgical Management of Stones: American Urological Association/Endourological Society Guideline, PART II. J Urol. 2016 Oct;196(4):1161-9. doi: 10.1016/j.juro.2016.05.091. Epub 2016 May 27.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/27238615
- Pearle MS, Goldfarb DS, Assimos DG, Curhan G, Denu-Ciocca CJ, Matlaga BR, Monga M, Penniston KL, Preminger GM, Turk TM, White JR; American Urological Assocation. Medical management of kidney stones: AUA guideline. J Urol. 2014 Aug;192(2):316-24. doi: 10.1016/j.juro.2014.05.006. Epub 2014 May 20. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/24857648
- Qaseem A, Dallas P, Forciea MA, Starkey M, Denberg TD; Clinical Guidelines Committee of the American College of Physicians. Dietary and pharmacologic management to prevent recurrent nephrolithiasis in adults: a clinical practice guideline from the American College of Physicians. Ann Intern Med. 2014 Nov 4; 161(9):659-67. doi: 10.7326/M13-2908.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/25364887

Genetic Testing Information

- What is genetic testing? /primer/testing/genetictesting
- Genetic Testing Registry: Nephrolithiasis/nephrocalcinosis https://www.ncbi.nlm.nih.gov/qtr/conditions/CN580796/

Research Studies from ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22kidney+stone%22+OR+%22Ne
 phrolithiasis%22+OR+%22renal+calculus%22

Other Diagnosis and Management Resources

- MedlinePlus Encyclopedia: Kidney Stones https://medlineplus.gov/ency/article/000458.htm
- MedlinePlus Health Topic: Kidney Stones https://medlineplus.gov/kidneystones.html
- MedlinePlus Medical Tests: Crystals in Urine https://medlineplus.gov/lab-tests/crystals-in-urine/
- MedlinePlus Medical Tests: Kidney Stone Analysis https://medlineplus.gov/lab-tests/kidney-stone-analysis/
- National Institute of Diabetes and Digestive and Kidney Diseases: Treatment for Kidney Stones https://www.niddk.nih.gov/health-information/urologic-diseases/kidney-stones/ treatment

Additional Information & Resources

Health Information from MedlinePlus

- Encyclopedia: Kidney Stones https://medlineplus.gov/ency/article/000458.htm
- Encyclopedia: Kidney Stones--What to Ask Your Doctor https://medlineplus.gov/ency/patientinstructions/000186.htm
- Health Topic: Kidney Stones https://medlineplus.gov/kidneystones.html
- Medical Tests: Crystals in Urine https://medlineplus.gov/lab-tests/crystals-in-urine/
- Medical Tests: Kidney Stone Analysis https://medlineplus.gov/lab-tests/kidney-stone-analysis/

Additional NIH Resources

- National Institute of Diabetes and Digestive and Kidney Diseases: Definition & Facts for Kidney Stones https://www.niddk.nih.gov/health-information/urologic-diseases/kidney-stones/definition-facts
- National Institute of Diabetes and Digestive and Kidney Diseases: Eating, Diet, & Nutrition for Kidney Stones
 https://www.niddk.nih.gov/health-information/urologic-diseases/kidney-stones/ eating-diet-nutrition

- National Institute of Diabetes and Digestive and Kidney Diseases: Treatment for Kidney Stones
 - https://www.niddk.nih.gov/health-information/urologic-diseases/kidney-stones/treatment
- NIH News in Health: Pebbles in Your Plumbing: Flushing Kidney Stones https://newsinhealth.nih.gov/2017/06/pebbles-your-plumbing

Educational Resources

- Boston Children's Hospital: Kidney Stones in Children
 http://www.childrenshospital.org/conditions-and-treatments/conditions/k/kidneystones/diagnosis-and-treatment
- Johns Hopkins Medicine https://www.hopkinsmedicine.org/health/conditions-and-diseases/kidney-stones
- MalaCards: nephrolithiasis https://www.malacards.org/card/nephrolithiasis
- Merck Manual Consumer Version: Stones in the Urinary Tract
 https://www.merckmanuals.com/home/kidney-and-urinary-tract-disorders/stones-in-the-urinary-tract

Patient Support and Advocacy Resources

- Kidney Research UK https://kidneyresearchuk.org/
- National Kidney Foundation https://www.kidney.org/atoz/content/kidneystones
- Rare Diseases Clinical Research Network: Rare Kidney Stone Consortium https://www.rarediseasesnetwork.org/cms/rksc

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28Kidney+Calculi%5BMAJR%5D%29+AND+%28kidney+stone%5BTI%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1440+days%22%5Bdp%5D

Catalog of Genes and Diseases from OMIM

 NEPHROLITHIASIS, CALCIUM OXALATE http://omim.org/entry/167030

Medical Genetics Database from MedGen

- Kidney stone https://www.ncbi.nlm.nih.gov/medgen/7209
- Nephrolithiasis https://www.ncbi.nlm.nih.gov/medgen/98227

Sources for This Summary

 Coe FL, Worcester EM, Evan AP. Idiopathic hypercalciuria and formation of calcium renal stones. Nat Rev Nephrol. 2016 Sep;12(9):519-33. doi: 10.1038/nrneph.2016.101. Epub 2016 Jul 25. Review.

Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/27452364
Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5837277/

- Dawson PA, Sim P, Mudge DW, Cowley D. Human SLC26A1 gene variants: a pilot study. ScientificWorldJournal. 2013 Oct 22;2013:541710. doi: 10.1155/2013/541710. eCollection 2013. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/24250268
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3819931/
- Favus M. Nephrolithiasis. 2016 Dec 11. In: De Groot LJ, Chrousos G, Dungan K, Feingold KR, Grossman A, Hershman JM, Koch C, Korbonits M, McLachlan R, New M, Purnell J, Rebar R, Singer F, Vinik A, editors. Endotext [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000-. Available from http://www.ncbi.nlm.nih.gov/books/NBK279069/
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/25905296
- Gee HY, Jun I, Braun DA, Lawson JA, Halbritter J, Shril S, Nelson CP, Tan W, Stein D, Wassner AJ, Ferguson MA, Gucev Z, Sayer JA, Milosevic D, Baum M, Tasic V, Lee MG, Hildebrandt F. Mutations in SLC26A1 Cause Nephrolithiasis. Am J Hum Genet. 2016 Jun 2;98(6):1228-1234. doi: 10.1016/j.ajhg.2016.03.026. Epub 2016 May 19.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/27210743
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4908148/
- Taguchi K, Yasui T, Milliner DS, Hoppe B, Chi T. Genetic Risk Factors for Idiopathic Urolithiasis: A
 Systematic Review of the Literature and Causal Network Analysis. Eur Urol Focus. 2017 Feb;3(1):
 72-81. doi: 10.1016/j.euf.2017.04.010. Epub 2017 May 19. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/28720371

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/kidney-stones

Reviewed: January 2019 Published: June 23, 2020

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services